

Westley, California



NOTICE IS HEREBY GIVEN OF THE SPECIAL TELEPHONIC MEETING OF THE BOARD OF DIRECTORS OF
THE WEST STANISLAUS IRRIGATION DISTRICT

DATE: Thursday, January 21, 2021
TIME: 10:00 a.m.
LOCATION: Zoom Meeting

Join Zoom Meeting

<https://us02web.zoom.us/j/82872050805?pwd=OVlqNkF6d3QxcE9Tb1BMaHkwdXF1dz09>

Meeting ID: 828 7205 0805

Passcode: 053807

One tap mobile

+16699006833,,82872050805#,,,,*053807# US (San Jose)

+13462487799,,82872050805#,,,,*053807# US (Houston)

Dial by your location

+1 669 900 6833 US (San Jose)

Meeting ID: 828 7205 0805

Passcode: 053807

NOTE: In accordance with the Governor's Executive Order (N-29-20) and the declared State of Emergency as a result of the threat of COVID-19, members of the Board of Directors, and District staff may be participating in this meeting remotely from multiple locations. Members of the public are encouraged to use the call-in number, which will allow them to fully participate in the meeting without having to be present in person. If members of the public have any problems using the call-in number during the meeting, please contact the District office at 209-894-3091.

AGENDA

- Call to Order/Roll Call
- The Board shall Consider Corrections or Additions to the Agenda of Items Requiring Immediate Action that have come to the Attention of the Board after Posting the Agenda.
- Opportunity for Public Comment – Limit of 2 minutes per person

Action Items

1. **Board to Consider Approval of Purchasing Pumps for Pump Station #3 and #4 As Part of the Modernization Process.**

ADJOURNMENT

Any materials related to items on this agenda distributed to the Board of Directors of the West Stanislaus Irrigation District less than 72 hours before the public meeting are available for public inspection at the District's office located at the following address: 116 E Street, Westley, California. Upon request, these materials may be made available in an alternative format to persons with disabilities. Action may be taken on any item listed on the agenda even though it may not be specifically listed under the Action Item section.